

Refine Search

Search Results -

Terms	Documents
L13 and signals	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L14

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, September 03, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L14</u>	L13 and signals	3	<u>L14</u>
<u>L13</u>	L10 and (high adj voltage) and pulses	4	<u>L13</u>
<u>L12</u>	L10 and (high adj voltage adj pulses)	0	<u>L12</u>
<u>L11</u>	L10 and modulator	3	<u>L11</u>
<u>L10</u>	L9 and RF and microwave	14	<u>L10</u>
<u>L9</u>	(accelerator adj waveguides)	47	<u>L9</u>
<u>L8</u>	L7 and waveguides	2	<u>L8</u>
<u>L7</u>	L5 and beam	13	<u>L7</u>
<u>L6</u>	L5 and dual\$beam	0	<u>L6</u>
<u>L5</u>	(high adj voltage adj pulses) and RF and power and synchroniz\$5 and (resonant adj frequenc\$3)	29	<u>L5</u>
<u>L4</u>	(accelerator adj waveguides) and (different adj resonant adj frequencies) (linear adj accelerator adj waveguides) and (different adj resonant adj	0	<u>L4</u>

<u>L3</u>	frequencies)	0	<u>L3</u>
<u>L2</u>	(linear adj accelerator) and waveguides and (different adj resonant adj frequencies)	1	<u>L2</u>
<u>L1</u>	(multiple adj beam adj linear adj accelerator)	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and (high adj power) and (RF adj pulse)	5

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, September 03, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L2</u>	L1 and (high adj power) and (RF adj pulse)	5	<u>L2</u>
<u>L1</u>	Linac and waveguides and RF and (resonant adj frequenc\$3)	24	<u>L1</u>

END OF SEARCH HISTORY